



Section A4

Product Reference Guide - January 2026

Accessories

[illegible]

Table of Contents

Mounting Posts

Standard & Heavy-Duty Posts 4

Designer Style Posts 5

Kiosks 6

Transformers

Transformer Box 7

Transformers 7


Surge Suppressers / Timers

Surge Suppressers 8

7-Day Timer 8

Mounting Posts

Standard & Heavy-Duty Posts



NOTE:

Posts are prime coated (black) only. They must be finished with high-quality paint suitable for outdoor use to inhibit corrosion and rusting.

Standard Posts¹

1200-045 Pad Mount

1200-046 In-Ground Mount

1200-049 Dual Height Pad Mount

- Standard posts are constructed from 2 x 2 (51 mm) steel stock.
- In-ground mount posts do not have a baseplate and extend an additional 24 inches (610 mm) in length.

In-Ground Adapter

1200-057 (use with 1200-045)

1200-056 (use with 1200-049)

- In-ground adapters provide a mount for posts with a baseplate.

1802 Adapter Plate

1802-111

- Use this plate with when mounting 1802, 1802-EPD and 1819 systems to these posts.

Note 1: Standard posts are not suitable for use with 1833, 1834, 1835 or 1837 systems. Use the Heavy-Duty or Designer Style mounting posts for these systems.

Heavy-Duty Posts

1200-036 Pad Mount¹

1200-037 Pad Mount

1200-038 In-Ground Mount

1200-050 Pad Mount

1200-051 In-Ground Mount

- Heavy-duty posts are constructed from 4 x 4 (102 mm) steel stock.
- In-ground mount posts do not have a baseplate and extend an additional 24 inches (610 mm) in length.

Note 1: Not for use with 1833, 1834, 1835 or 1837 systems.


In-Ground Adapter

1200-056 (use with pad mount posts)

- In-ground adapters provide a mount for posts with a baseplate.

Mounting Posts

Designer Style Mounting Posts



NOTE:

Posts are prime coated (black) only. They must be finished with high-quality paint suitable for outdoor use to inhibit corrosion and rusting.

Designer Style Posts

1200-085 Pad Mount

1200-086 Pad Mount

- Standard posts are constructed from 4 x 8 (102 mm x 203 mm) steel stock.
- Electrical compartment has four (4) accessory outlets and room for surge suppressers and RF receiver.

In-Ground Adapter

1200-058

- In-ground adapters provide a mount for posts with a baseplate.

1802 Adapter Plate

1802-111

- Use this plate with when mounting 1802, 1802-EPD and 1819 systems to these posts.

Accessories

1200-087 Light Tower Extension

1200-150 Light Assembly


- Tower extension does not include light assembly.
- LED (120V) light with photocell for automatic dusk to dawn operation.

Replacement Post Cap

1200-053

Mounting Posts

Kiosks



NOTE:

Posts are prime coated (black) only. They must be finished with high-quality paint suitable for outdoor use to inhibit corrosion and rusting.

Kiosk Style Post¹


1200-180

- Use with 1834, 1835 and 1837 flush mount **90 Series systems and 2137 Series systems only.**


1. Kiosk includes LED illumination and has an electrical compartment with four (4) accessory outlets and room for surge suppressers and RF receiver.

Transformers


12, 16, 24 Volt AC & DC




1200-080



20 VA Transformers
1804-059 24-Volt AC Output
1804-060 16-Volt AC Output



40 VA Transformer
1508-060 16-Volt AC Output




DC Transformers - Regulated
1812-018 12-Volt 1A
1812-136 24-Volt 1A

<p>Transformer Box</p> <p>1200-080</p> <ul style="list-style-type: none">• Holds up to four (4) 20-VA transformers.• Suitable for indoor or outdoor use.	<p>20-VA Transformers</p> <p>1804-059 24-VAC</p> <p>1804-060 16-VAC</p> <p>40-VA Transformers</p> <p>1508-060 16-VAC</p> <p>DC Transformers - Regulated</p> <p>1812-018 12-VDC, 1 A</p> <p>1812-136 24-VDC, 1 A</p>
--	--

Accessories

Timers / Surge Suppressers



Surge Suppressers

1877-010 Phone Line

1878-010 Low Voltage (24 VAC)

1879-080 High Voltage (120 VAC)

7-Day Timer

2600-791

- 20 Programs.
- 24 VAC.
- Form C dry contact relay.