

STANDARD TELEPHONE ENTRY



Residential • Apartment/College Residence Halls • Gated Communities • Mixed Use Buildings • Commercial/Industrial • Traffic Control • Self Storage • Maximum Security

ACCESS CONTROL SOLUTIONS

1808

With or Without Directory

1802

Limited Space

1802-EPD

Built-in Electronic Directory Residential or Commercial









Up to 600 Phone Numbers

Visitors are identified by voice communication via a telephone. Access is granted by pressing "9" on your touch tone telephone, or access can be denied by simply hanging up.

Standard

Post

Gooseneck



Modular Design

Uses a modular design concept that makes installation and service easy





Flash Entry Codes

Allow entry on a single day only, then automatically deactivate entry permission.

Mounting Options

DKS offers a full range of mounting posts to meet your specific needs, whether for vehicular traffic or pedestrian traffic requirements.



The Standard mounting posts are ideal for smaller telephone entry and access control devices. Mounting posts can be used for vehicular or pedestrian traffic, and are designed to be pad mounted or mounted using the in-ground mounting adapter.



are typically used with the larger telephone entry systems and are available in gooseneck styles for vehicular traffic or straight styles for walkup pedestrian use.

Architectural Offset Post



for vehicular traffic, or straight for walk up pedestrian use. Includes an electrical compartment that can house accessory transformers, surge suppressors and a radio receiver. Optional light extension.

Designer **Offset Post** 1803

Built-in Programming Display



1810

Built-in Lighted Directory





Full Duplex

Allows two-way simultaneous voice conversation.
Half-duplex systems (like intercoms) allow only
one person to speak at a time. The same quality as
the phone company. Grant or deny access directly
from your touch-tone phone.



Wireless Cellular Connection Option

No trenching or wire runs! Replaces out-dated POTS (Plain Old Telephone Service) phone lines.



Built-in Display

Indicates door/gate has been opened. Assists with programming. 1802-EPD display shows tenant name and number.



Large Kiosk

pad mounted and are designed to accommodate flush style telephone entry systems only. These kiosks are designed for walk up pedestrian applications and include ultra bright LED illumination for the entry system.



Model 1810 is a complete self-contained telephone entry system that is ideal for small to medium sized facilities, where managers can easily create and change directories as needed.



DoorKing's 1802 and 1802-EPD (Electronic Programmable Directory) are suited for applications that have limited space. The 1802 is designed for applications that do not require a directory, or in applications where a separate directory exist, while the 1802-EPD includes a built-in electronic directory.

SPECIFICATIONS

ALL MODELS

- Stores up to 600 telephone numbers.
 (EPD stores up to 100 names & numbers)
- Programmable directory codes (1-4 digits).
- · 16-digit dialing capability.
- Two special inputs can be programmed for relay activation or to dial out a preprogrammed phone number.
- · 5-digit entry codes for special needs.
- · Built-in time clock.
- · Hold open time zones.
- · Entry code time zones.
- · "Flash" entry codes.
- Dtmf tone output allows these systems to be used with PBX, KSU and telephone systems with auto-attendants.
- Surface or flush mount 1808 available in surface mount only, with or without built-in directory.
- · EEPROM Memory Chip.
- Full duplex communication.
- 4-digit entry codes; 1000. (EPD = 100)
- · 15 area codes.
- · Six, 5-digit entry codes.

1808

- Surface mount only.
- Built-in directory to list up to 10 tenants and their call numbers.

1802

- Limited space applications.
- Use 1802 when a directory is not required, or where a separate directory exists.

1802-EPD (Electronic Programmable Directory)

- A-to-Z scroll and one touch CALL buttons for quick and easy operation.
- Includes a built-in electronic directory showing resident names and call numbers.
- Stores up to 100 telephone numbers and names.

1803

 Use 1803 when a directory is not required, or where a separate directory exists.

1810

 Built-in lighted directory to list up to 100 tenants and their call numbers.

		1802	1802-EPD	1803	1808	1810
\overline{i}	PHONE NUMBERS	600	100	600	600	600
4	ENTRY POINTS	2	2	2	2	2
CALL	BUTTONS - A TO Z AND CALL	-	✓	-	-	-
Aa	DIRECTORY	-	LED	-	Paper	Paper
	MOUNTING STYLES					
	SURFACE	✓	✓	✓	1	✓
	FLUSH	✓	✓	✓	-	✓
	LED LIGHTED KEYPAD	-	1	-	-	-
707	PROGRAMMABLE DIRECTORY CODES	✓	✓	✓	1	✓
123 456 289 808	16 DIGIT DIALING	1	✓	1	1	1
	STORES UP TO 15 AREA CODES	✓	1	✓	1	✓
	ENTRY CODE TIME ZONES	1	✓	✓	1	1
<u></u> :	FLASH ENTRY CODES	1	✓	✓	1	✓
10:13	BUILT-IN TIME CLOCK	1	1	✓	1	✓
Today	HOLD OPEN TIME ZONES	✓	✓	✓	1	✓

DKS PLUG & PLAY CONNECTION OPTIONS

CELLULAR*

Replaces standard telephone lines. No telephone lines or ethernet cable to install or maintain.

UNLIMITED RANGE

Nationwide coverage. Set up DKS Cellular Telephone Entry system wherever cell service is available in all U.S. states and its territories.



DKS Cellular Option™

INTERNET**

Use DKS VoIP adapters for easy plug & play setup. No routers, port forwarding, IP addresses, firewalls or DDNS services to deal with.

MANUAL SETUP

You can avoid DKS subscription fees by using your own VoIP provider*.



DKS Internet Options™

While many VoIP services will work with the 1800 systems, DoorKing does not guarantee compatibility with these third party providers.

** DKS subscription based service.

PLUG AND PLAY**

Give it power, enable cell service, and you're ready to go.

* DKS Cellular operates on the AT&T*** 4G-LTE cellular network (where available), and as such, a monthly subscription fee applies (just like your cell phone). The DKS Cellular service provides very competitive monthly rates for your cellular service. DKS Cellular service is available in all states, Puerto Rico, U.S. Territories and Canada. DKS Cellular service is not available in Mexico or other countries

DKS IM SERVER MODEM™***

Utilizes the POTS (Plain Old Telephone Service) line at the telephone entry system to provide voice communications.

*** DoorKing does not recommend using a POTS line and modern for data transfer as we can no longer guarantee modern connections. Several phone company services and switches no longer support modern communications since these devices are considered to be obsolete technology. The telephone line at the entry system must support C.711 level service for the IM Server Modern to work. You should also be aware that modern communications will not work over cellular or VoIP connections.



DKS IM Server Modem™ (Pat: 9,049,306)

AT&T, the AT&T logo and all other AT&T marks contained herein are trademarks of AT&T Intellectual Property and/or AT&T affiliated companies

ACCESSORIES:

Secondary Keypads

The secondary keypad allows entry codes to be accessed from a second location, and is typically installed on the inside of a gate operating system. The secondary keypad does not provide any voice communication. These vandal resistant keypads use stainless steel faceplates, galvanized steel sub-phoused in a rugged steel sub-phoused steel sub-phoused in a rugged steel sub-phoused steel sub



steel faceplates, galvanized steel sub-plates and are housed in a rugged steel cabinet. Available in lighted or unlighted surface mount style.

Mounting Styles

All models available in surface mount. Models shown available in flush mount.









1802-EPD

1810

1803

Wireless Cellular



The DKS Cellular service (voice only) easily connects your standard telephone entry system - replacing old fashion POTS telephone lines and eliminates the need for RS232, RS485, Ethernet or other wiring. Operates on the AT&T 4G-LTE cellular network.

Mounting Kits

Mounting kits are used to simplify the installation of telephone entry systems. Available in Stainless Steel Flush Mount Kit, Stainless Steel Surface Mounting, and Black Surface Mount Trim Ring. Check which system fits which model as they not interchangeable.





VoiP Plug and Play Adaptor

Use with DKS Data over the Internet service for voice connection, or you can use your own VoIP provider and equipment.

Heaters & Camera Kits

Heater kits allow the telephone entry system to operate in cold environments. Camera kits available as an add-on to most telephone entry systems.





REGIONAL

SALES MANAGER LOCATIONS

DOORKING U.S.A.

SEATTLE, WA
INDIANAPOLIS, IN
SACRAMENTO, CA
ALBANY, NY
PHOENIX, AZ
NASHVILLE, TN
ATLANTA, GA
DALLAS, TX
ORLANDO, FL
CHARLOTTE, NC
HOUSTON, TX
SAN DIEGO, CA
LEHIGH VALLEY, PA
LOS ANGELES. CA





1808

1802





1803

1810

MADE IN USA

DOORKING, INC.

Access Control Solutions since 1948

120 S. Glasgow Avenue, Inglewood, California 90301 U.S.A. Tel: 310-645-0023 • FAX: 310-641-1586 • www.doorking.com

 \circledcirc 2023 All Rights Reserved. Product specifications may change without notice. Rev. 2/23

STANDARDTELEPHONE ENTRY





DISTRIBUTED BY:

MEMBER:

















